REQUEST FOR A RULING TO CORRECT HOMONYMY IN NAMES OF THE FAMILY-GROUPS BASED ON *PLETHODUS* (PISCES) and *PLETHODON* (CAUDATA). Z.N.(S.) 1803

By Bruce B. Collette (Bureau of Commercial Fisheries Ichthyological Laboratory, U.S National Museum, Washington, D.C.) and

David B. Wake (Department of Anatomy, University of Chicago, Chicago, Illinois)

When homonymy exists between family-group names based on similar but not identical names of type-genera, the case is to be referred to the International Commission (1964, International Code of Zoological Nomenclature, Art. 55(a)). A case of homonymy involves the family-group name PLETHODONTIDAE, in current use both in Amphibia (Caudata) and Pisces (Osteoglossiformes).

Plethodon Tschudi, 1838, is the type-genus of the family-group name PLETHODONTIDAE Gray, 1850. This family, the lungless salamanders, consists of 23 genera and about 185 species limited to the New World except for two species in southern Europe (Wake, 1966).

Plethodus Dixon, 1850, is the type-genus of the family-group name PLETHO-DIDAE Loomis, 1900. This family of fossil osteoglossoid fishes consists of about eight genera known from the Upper Cretaceous of Europe, North Africa, and North America (Bardack, 1965). Loomis (1900) clearly proposed a new family PLETHODIDAE for Plethodus, Thryptodus, and Pseudothryptodus, but for some inexplicable reason he introduced the teleost section of his paper with "Plethodidae A. S. Woodward." As a result several authors (e.g., Hay, 1929) have credited Woodward with authorship of the family PLETHODIDAE.

In his 1902 catalogue, Hay referred to Loomis (1900) as "Plethodidae, part" under OSTEOGLOSSIDAE. But then in his second edition (1929), he used the heading "Plethodontidae Woodward" and credited the description of the family to Woodward, 1912, even though he again listed Loomis (1900) with the notation PLETHODIDAE. The Zoological Record for 1936 used PLETHODONTIDAE as did Weiler (1935) and Stromer (1936). Most other workers have used either PLETHODIDAE (Berg, 1940, 1955; Bertin and Arambourg, 1957; Bardack, 1965) or THRYPTODONTIDAE (described by Jordan, 1923: 119, as a substitute name) to avoid homonymy with the salamander family but several recent authors (e.g. Romer, 1945; Greenwood et al., 1966) have used PLETHODONTIDAE for the fossil fish family. Romer (1966) used THRYPTODONTIDAE with PLETHODONTIDAE in parentheses and on page 63 used only the former.

Both generic names, *Plethodon* and *Plethodus*, result in the family name PLETHODONTIDAE because *odon* is a variant of *odous* and they each have the genitive *odontos* (Brown, 1954). Because the salamander family is much larger and far better known to both laymen and specialists than the fossil fish family, it seems most reasonable to continue to use PLETHODONTIDAE for the salamanders. Also, two other names have been used for the fossil fishes, the incorrectly formed PLETHODIDAE and the substitute name THRYPTODONTIDAE. PLETHODIDAE is the earlier name and has been used more often so the Commission is requested:

- (1) to rule under the plenary powers that PLETHODIDAE is to be accepted as the correct spelling of the family-group name based on *Plethodus* Dixon, 1850:
- (2) to place the following generic names on the Official List of Generic Names in Zoology:
 - (a) Plethodon Tschudi, 1838 (:92) (gender: masculine), type-species, by subsequent designation by Bibron (in Bonaparte, 1839, Icon. Fauna Ital. 2 (26), sign. 131**, Euproctus platycephalus [41) in proposing Phatnomatorhina as a substitute name for Plethodon, Salamandra glutinosa Green, 1818 (Caudata);
 - (b) Plethodus Dixon, 1850 (:394) (gender: masculine), type-species, by subsequent designation by Woodward, 1899, Plethodus expansus Dixon, 1850 (Pisces);
- (3) to place the following specific names on the Official List of Specific Names in Zoology:
 - (a) glutinosa Green, 1818 (:357), as published in the binomen Salamandra glutinosa (type-species of Plethodon Tschudi, 1838) (Caudata):
 - (b) expansus Dixon, 1850 (:394), as published in the binomen Plethodus expansus (type-species of Plethodus Dixon, 1850) (Pisces):
- (4) to place the following family-group names on the Official List of Family-Group Names in Zoology:
 - (a) PLETHODONTIDAE Gray, 1850 (:31) (type-genus Plethodon Tschudi, 1838) (Caudata):
 - (b) PLETHODIDAE Loomis, 1900 (; 229) (type-genus Plethodus Dixon. 1850) (Pisces):
- (5) to place the following family-group name on the Official Index of Rejected and Invalid Family-Group Names in Zoology:
 - (a) PLETHODONTIDAE Hay, 1929 (type-genus Plethodus Dixon, 1850) (Ruled under the plenary powers to be an incorrect spelling for PLETHODIDAE Loomis 1900) (Pisces).

LITERATURE CITED

- BARDACK, David. 1965. New Upper Cretaceous teleost fish from Texas. Univ. Kansas Paleontol. Contrib. Paper No. 1:1-9
- Berg, L. S. 1940. Classification of fishes and fishlike vertebrates, both Recent and fossil. Trudy Zool. Inst. Akad. Nauk SSSR, 5:87-517. [In Russian and English, lithoprinted by Edwards Bros., Ann Arbor, Mich., 1947.] 1955. Ibid. (ed. 2) 20: 1-286. [In Russian]
- Bertin, Leon and Camille Arambourg. 1957. Super-ordre des téléostéens (Teleostei). In: Traite de Zoologie, P. P. Grasse ed., 13 (3): 2204–2500 BONAPARTE, Carlo L. Principe. 1839. Iconografia della fauna Italica per le quattro classi degli animali vertebrati. II. Amfibi. Fasc. XXVI.
- Brown, Roland W. 1954. Composition of scientific words. Published by the author
- DIXON, Frederick. 1850. The geology and fossils of the Tertiary and Cretaceous formations of Sussex
- GRAY, J. E. 1850. Catalogue of the specimens of Amphibia in the collection of the British Museum. Part II. Batrachia gradientia, etc. Spottiswood and Shaw, London, 72 pp.

GREEN, Jacob. 1818. Descriptions of several species of North American Amphibia,

accompanied with observations. J. Acad. nat. Sci. Philad. I (2): 348–359

Greenwood, P. Humphry, Donn E. Rosen, Stanley H. Weitzman, and George S. Myrs. 1966. Phyletic studies of teleostean fishes, with a provisional classification of living forms. Bull. Amer. Mus. nat. Hist. 131 (4): 339–456

HAY, Oliver P. 1902. Bibliography and catalogue of the fossil vertebrates of North

America. Bull. U.S. Geol. Surv. 179, 868 pp.

1929. Second bibliography and catalogue of the fossil Vertebrata of North America. Carnegie Inst. Washington Publ. No. 390, vol. 1, 916 pp.

JORDAN, David Starr. 1923. A classification of fishes including families and genera as far as known. Stanford Univ. Publ., Univ. Ser., Biol. Sci., 3 (2): 77-243 LOOMIS, Frederic B. 1900. Die Anatomie und die Verwandtschaft der Ganoid- und

Knochen-Fische. Paleontographica 46: 213-283

ROMER, Alfred Sherwood. 1945. Vertebrate Paleontology. 2nd ed. Univ. Chicago Press, Chicago, 687 pp.

1966. Ibid. 3rd ed. 468 pp.

STROMER, Ernst. 1936. Ergebnisse der Foschungsreisen Prof. E. Stromers in den Wüsten Ägyptens. VII. Baharije-Kessel und Stufe mit deren Fauna und Flora eine ergänzende Zusammenfassung. Abhand. Bayer. Akad. Wiss., N.F. No. 33, 102 pp. TSCHUDI, Johann Jacob von. 1838. Classification der Batrachier, mit Berück-

sichtigung der fossilen Thiere dieser Abtheilung der Reptilien. Mém. Soc. Sci.

Nat. Neuchâtel 2: 1-100

WAKE, David B. 1966. Comparative osteology and evolution of the lungless salamanders, family Plethodontidae. Mem. So. Calif. Acad. Sci. 4: 1-111

Weiler, Wilhelm. 1935. Ergebnisse der Forschungsreisen Prof. E. Stromers in den Wüsten Ägyptens. 16. Neue Untersuchungen an Fischresten. Abhand. Bayer. Akad. Wiss., N.F. No. 32, 57 pp.

WOODWARD, A. Smith. 1899. On the Cretaceous fish Plethodus. Ann. Mag. nat. Hist., (7) 3:353-361